EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	129	706/19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 19:10
L2	511	702/6.ccls.	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:11
L3	70747	((neural neuron neuronic neuronal) adj (net network)) (artificial adj intelligence) ai inference neuralnet ((computer machine) adj learning) (expert adj system)	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:13
L4	144310	(genetic adj1 algorithm) GA	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:13
L5	6	((multi-objective) (multi adj objective)) adj fitness adj function	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:14
L6	2093	negative adj1 correlation	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:14
L7	52	((open adj1 hole) (case adj1 hole)) near2 (logging adj1 (data tool))	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:15
L8	644	pulsed adj1 neutron	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:15
L9	1225	(well adj1 logging adj1 tool) (well adj1 log adj1 data) (well adj1 log adj1 input)	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:16
L10	23	(neural adj (net network)) adj ensemble	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:17
L11	5496	3 and 4	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:17
L12	5	11 and 5	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:18
L13	83	11 and 6	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:18
L14	3	13 and 7	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:20
L15	6878	well near2 (log record)	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:20
L16	5	4 and 10 and 6	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:21
L17	1	9 and 10	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:21
L18	5	4 and 10	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:22

6/18/2007 7:47:53 PM
C:\Documents and Settings\mtran3\My Documents\EAST\Workspaces\Default EAST Workspace (Flat Panel) 10811403.wsp

EAST Search History

L19	1	8 and 9 and 10	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:23
L20	1	5 and 10	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:23
L21	448	706/15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 19:23
L22	5	10 and L21	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:24
L23	0	8 and 1	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:25
L24	1	10 and 1	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:25
L25	64	3 and 4 and 21	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:26
L26	3	25 and 8	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:26
L27	12	1 and 3 and 4	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:27
L28	0	1 and 8	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:27
L29	0	1 and 5	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:28
L30	1	1 and 10	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:28
L31	0	2 and 3 and 4 and 5	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:29
L32	41	2 and 3	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:32
L33	1	2 and 3 and 4	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:32
L34	1	((individual adj neural adj networks) AND (synthetic adj output) AND (geophysical adj parameter) AND well AND (genetic adj algorithm) AND ((multi-objective or (multi adj objective)) adj fitness adj function) AND ensemble).clm.	US-PGPUB; USPAT	OR	OFF	2007/06/18 19:36

EAST Search History

L36	0	((log adj data) AND (pulsed adj neutron) AND (logging adj tool) AND synthetic AND (open adj hole adj logs) AND (neural adj network adj ensemble) AND (genetic adj algorithm) AND ((multi-objective or (multi adj objective)) adj fitness adj function)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 19:44
L37	1	((individual adj neural adj networks) AND output AND (pulsed adj neutron) AND (well adj log) AND (input adj data) AND (genetic adj algorithm) AND ((multi-objective or (multi adj objective)) adj fitness adj function)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/06/18 19:43
L38	0	((log adj data) AND (pulsed adj neutron) AND (logging adj tool) AND synthetic AND (open adj hole adj logs) AND (neural adj network adj ensemble) AND (genetic adj algorithm) AND (multi-objective or (multi adj objective)) adj fitness adj function).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 19:46
S1	447	706/15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 19:10

6/18/2007 7:47:53 PM
C:\Documents and Settings\mtran3\My Documents\EAST\Workspaces\Default EAST Workspace (Flat Panel) 10811403.wsp



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: © The ACM Digital Library O The Guide

+"neural network ensemble" +"genetic algorithm"

SEARCH



Feedback Report a problem Satisfaction survey

Terms used neural network ensemble genetic algorithm

Found 8 of 203,282

Sort results by Display

results

relevance expanded form

Save results to a Binder ? Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 8 of 8

Relevance scale

Genetic algorithms: Evolving neural network ensembles for control problems

window

David Pardoe, Michael Ryoo, Risto Miikkulainen

June 2005 Proceedings of the 2005 conference on Genetic and evolutionary computation GECCO '05

Publisher: ACM Press

Full text available: 🔂 pdf(121.49 KB) Additional Information: full citation, abstract, references, index terms

In neuroevolution, a genetic algorithm is used to evolve a neural network to perform a particular task. The standard approach is to evolve a population over a number of generations, and then select the final generation's champion as the end result. However, it is possible that there is valuable information present in the population that is not captured by the champion. The standard approach ignores all such information. One possible solution to this problem is to combine multiple individuals fro ...

Keywords: ensembles, genetic algorithms, neural networks, reinforcement learning

2 Ensemble Pruning Via Semi-definite Programming

Yi Zhang, Samuel Burer, W. Nick Street

December 2006 The Journal of Machine Learning Research, Volume 7

Publisher: MIT Press

Full text available: pdf(291.31 KB) Additional Information: full citation, abstract

An ensemble is a group of learning models that jointly solve a problem. However, the ensembles generated by existing techniques are sometimes unnecessarily large, which can lead to extra memory usage, computational costs, and occasional decreases in effectiveness. The purpose of ensemble pruning is to search for a good subset of ensemble members that performs as well as, or better than, the original ensemble. This subset selection problem is a combinatorial optimization problem and thus findi ...

3 Learning Classifier systems and other genetics-based machine learning: papers:

Evolving ensemble of classifiers in random subspace

Albert Hung-Ren Ko, Robert Sabourin, Alceu de Souza Britto July 2006 Proceedings of the 8th annual conference on Genetic and evolutionary computation GECCO '06

Publisher: ACM Press

Full text available: Topdf(179.26 KB) Additional Information: full citation, abstract, references, index terms

Various methods for ensemble selection and classifier combination have been designed to optimize the results of ensembles of classifiers. Genetic algorithm (GA) which uses the diversity for the ensemble selection could be very time consuming. We propose compound diversity functions as objective functions for a faster and more effective GA searching. Classifiers selected by GA are combined by a proposed pairwise confusion matrix transformation, which offer strong performance boost for EoCs.

Keywords: combining classifiers, confusion matrix, diversity, ensemble of learning machines, fusion function, majority voting, pattern recognition

4 Market-based recommendation: Agents that compete for consumer attention

Sander M. Bohte, Enrico Gerding, Han La Poutré

November 2004 ACM Transactions on Internet Technology (TOIT), Volume 4 Issue 4

Publisher: ACM Press

Full text available: pdf(616.32 KB)

Additional Information: full citation, abstract, references, citings, index terms

The amount of attention space available for recommending suppliers to consumers on e-commerce sites is typically limited. We present a competitive distributed recommendation mechanism based on adaptive software agents for efficiently allocating the "consumer attention space," or banners. In the example of an electronic shopping mall, the task is delegated to the individual shops, each of which evaluates the information that is available about the consumer and his or her interests (e.g. keywor ...

Keywords: ACE, agent-based computational economics, competitive multi-agent systems, electronic markets, learning agents, market-based programming, recommendation systems

5 Nonlinear Boosting Projections for Ensemble Construction

Nicolás García-Pedrajas, César García-Osorio, Colin Fyfe

May 2007 The Journal of Machine Learning Research, Volume 8

Publisher: MIT Press

Full text available: pdf(10.56 MB) Additional Information: full citation, abstract

In this paper we propose a novel approach for ensemble construction based on the use of nonlinear projections to achieve both accuracy and diversity of individual classifiers. The proposed approach combines the philosophy of boosting, putting more effort on difficult instances, with the basis of the random subspace method. Our main contribution is that instead of using a random subspace, we construct a projection taking into account the instances which have posed most difficulties to previous ...

6 Research track papers: A general framework for accurate and fast regression by data

summarization in random decision trees

Wei Fan, Joe McCloskey, Philip S. Yu

August 2006 Proceedings of the 12th ACM SIGKDD international conference on Knowledge discovery and data mining KDD '06

Publisher: ACM Press

Full text available: pdf(4.67 MB) Additional Information: full citation, abstract, references, index terms

Predicting the values of continuous variable as a function of several independent variables is one of the most important problems for data mining. A very large number of regression methods, both parametric and nonparametric, have been proposed in the past. However, since the list is quite extensive and many of these models make rather explicit, strong yet different assumptions about the type of applicable problems and involve a lot of parameters and options, choosing the appropriate regression m ...

Keywords: decision trees, random, regression

Cluster ensembles --- a knowledge reuse framework for combining multiple partitions

Alexander Strehl, Joydeep Ghosh

March 2003 The Journal of Machine Learning Research, Volume 3

Publisher: MIT Press

Full text available: pdf(842.50 KB)

Additional Information: full citation, abstract, references, citings, index

This paper introduces the problem of combining multiple partitionings of a set of objects into a single consolidated clustering without accessing the features or algorithms that determined these partitionings. We first identify several application scenarios for the resultant 'knowledge reuse' framework that we call cluster ensembles. The cluster ensemble problem is then formalized as a combinatorial optimization problem in terms of shared mutual information. In addition to a direct ...

Keywords: cluster analysis, clustering, consensus functions, ensemble, knowledge reuse, multi-learner systems, mutual information, partitioning, unsupervised learning

8 Technical Correspondence: A neural net compiler system for hierarchical



organization Raieev Kumar

February 2001 ACM SIGPLAN Notices, Volume 36 Issue 2

Publisher: ACM Press

Full text available: Dpdf(954.76 KB) Additional Information: full citation, abstract, references

We present a language framework for handling arbitrarily complex neural computations. The software architecture - which we call an Artificial Neural Network Compiler for Hierarchical ORganization (ANCHOR) - facilitates network hierarchy and simpler submappings. We define a Net Definition Language (NDL) which is implemented in objectoriented programming paradigm; a trained network is decompiled bac ...

Keywords: compiler-decompiler, hierarchical networks, neural net definitions, neural programming language, superneuron

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • O The Guide

+"neural network ensemble" +"genetic algorithm" +"multi obj

SEARCH

Nothing Found

Your search for +"neural network ensemble" +"genetic algorithm" +"multi objective fitness function" did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

• Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

 Capitalize <u>proper nouns</u> to search for specific people, places, or products.

John Colter, Netscape Navigator

• Enclose a <u>phrase</u> in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term <u>must appear</u> on a page.

museum +art

• Exclude pages by using a - if a search term <u>must not</u> appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>



<u>Maps</u> <u>Images</u> <u>Video</u>

+"neural network ensemble" +"well" +"pulsed i



Advanced Scholar Search Scholar Preferences

Scholar Results 1 - 4 of 4 for +"neural network ensemble" +"well" +"pulsed neutron" +"genetic algorithm

All Results

Tip: Try removing quotes from your search to get more results.

D Chen

H Smith

J Quirein

J Grable

S Hamid

... network ensemble selection using a multi-objective genetic algorithm in processing pulsed neutron ...

D CHEN, J QUIREIN, HJR SMITH, S HAMID, J GRABLE - Petrophysics(Houston, Tex.),

2005 - cat.inist.fr

Neural network ensemble selection using a multi-objective genetic ... acquired cased-hole pulsed neutron inputs. ... Correlación; Diagraphie; Well logging; Diagrafía ... Web Search - BL Direct

Genetic algorithm based selection of neural network ensemble for processing well logging data

RTOAM APPENDIX - freepatentsonline.com

... a set of individual networks by a genetic algorithm having a ... A method for generating a neural network ensemble for processing pulsed neutron well log data ... Cached - Web Search

Ensembles of neural networks with different input sets - all 3 versions » D Chen, JA Quirein, HD Smith, S Hamid, JL Grable - 2007 - freepatentsonline.com ... interval logged with the pulsed neutron tool can ... Network Ensemble for Processing Well Logging Data ... fitness value is determined for each neural network ensemble. ... Cached - Web Search

Well logging with reduced usage of radioisotopic sources - all 3 versions » HD Smith, JA Quirein, JL Grable, D Chen - 2007 - freepatentsonline.com ... of the tool to the well bore wall ... However, pulsed neutron tools offer deeper investigation depths and ... For example, the neural network ensemble may be configured ...

Cached - Web Search

+"neural network ensemble" +"well"

Google Home - About Google - About Google Scholar

@2007 Google



<u>Web Images Video News Maps **more** »</u>

+"neural network ensemble" +"well" +"pulsed i

-Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar

Results 1 - 5 of 5 for +"neural network ensemble" +"well" +"pulsed neutron". (0.06 seconds)

All Results

Tip: Try removing quotes from your search to get more results.

D Chen

H Smith

J Quirein

J Grable

S Hamid

... network ensemble selection using a multi-objective genetic algorithm in processing pulsed neutron ...

D CHEN, J QUIREIN, HJR SMITH, S HAMID, J GRABLE - Petrophysics(Houston, Tex.),

2005 - cat.inist.fr

Neural network ensemble selection using a multi-objective genetic ... combo data from cased-hole **pulsed neutron** data using ... developed from a training **well** or wells ... Web Search - BL Direct

Genetic algorithm based selection of neural network ensemble for processing well logging data

RTOAM APPENDIX - freepatentsonline.com

... 34. A method for generating a **neural network ensemble** for processing **pulsed neutron well** log data, comprising: training a set of individual neural networks to ... Cached - Web Search

Ensembles of neural networks with different input sets - all 3 versions »

D Chen, JA Quirein, HD Smith, S Hamid, JL Grable - 2007 - freepatentsonline.com
... entire depth interval logged with the pulsed neutron tool can ... Genetic Algorithm Based Selection of Neural Network Ensemble for Processing Well Logging Data ...

Cached - Web Search

Well logging with reduced usage of radioisotopic sources - all 3 versions » HD Smith, JA Quirein, JL Grable, D Chen - 2007 - freepatentsonline.com ... the first log with the pulsed neutron tool log ... source tool log of the well bore ... wherein the combining operation employs a neural network ensemble to synthesize ... Cached - Web Search

Nuclear Logging Technology, Present AND Future An Operating Company Perspective

CTET Co - spwla2004.org

... from three service companies, back-to-backin the same well in fairly ... discusses the impact of different source-detector spacing for pulsed neutron capture tools ... Related Articles - View as HTML - Web Search

+"neural network ensemble" +"well"

Google Home - About Google - About Google Scholar

©2007 Google



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

1 Search Results	BROWSE	SEARCH	IEEE XPLORE	GUIDE
Results for "(((neural <near> network <near> ensemb</near></near>	le) <and> (genetic</and>	<near> algorithm)</near>	g"	

Your search	n matched 4 of 1589326 d	rk <near> ensemble) <and> (genetic <near> algorithm) &"</near></and></near>				
» Search O	ptions					
View Sessi	on History	Modify Search				
New Search		(((neural <near> network <near> ensemble) <and> (genetic <near> algorithm) <and></and></near></and></near></near>				
		☐ Check to search only within this results set				
» Key		Display Format:				
IEEE JNL IEEE Journal or Magazine		(view estadad koma)				
IET JNL	IET Journal or Magazine	view selected items Select All Deselect All				
IEEE CNF	IEEE Conference Proceeding	1. Single and Multi-Objective Genetic Algorithms for the Selection of Enser				
IET CNF	IET Conference Proceeding	Classifiers Dos Santos, E.M.; Sabourin, R.; Maupin, P.;				
IEEE STD	IEEE Standard	Neural Networks, 2006. IJCNN '06. International Joint Conference on 16-21 July 2006 Page(s):3070 - 3077				
•		AbstractPlus Full Text: PDF(2024 KB) IEEE CNF Rights and Permissions				
		2. Variable Input Neural Network Ensembles in Generating Synthetic Well L Dingding Chen; Quirein, J.; Smith, H.; Hamid, S.; Grable, J.; Reed, S.; Neural Networks, 2006. IJCNN '06. International Joint Conference on 16-21 July 2006 Page(s):1294 - 1301				
		AbstractPlus Full Text: PDF(280 KB) IEEE CNF Rights and Permissions				
		3. Neural network regularization and ensembling using multi-objective evo algorithms Yaochu Jin; Okabe, T.; Sendhoff, B.; Evolutionary Computation, 2004. CEC2004. Congress on Volume 1, 19-23 June 2004 Page(s):1 - 8 Vol.1 Digital Object Identifier 10.1109/CEC.2004.1330830				
		AbstractPlus Full Text: PDF(597 KB) IEEE CNF Rights and Permissions				
		4. Exploiting diversity of neural ensembles with speciated evolution Seung-lk Lee; Joon-Hyun Ahn; Sung-Bae Cho; Neural Networks, 2001. Proceedings. IJCNN '01. International Joint Conferent Volume 2, 15-19 July 2001 Page(s):808 - 813 vol.2 Digital Object Identifier 10.1109/IJCNN.2001.939463				
		AbstractPlus Full Text: PDF(468 KB) IEEE CNF				

Help Contact Us Privacy &:

© Copyright 2006 IEEE -



Rights and Permissions